" THE MATERIAL HEREIN IS FOR INFORMATION PURPOSES ONLY AND IS SUBJECT TO CHANGE WITHOUT NOTICE. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR ANY ERRORS WHICH MAY APPEAR HEREIN."

FIELD MAINTENANCE PRINT SET

" THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION." COPYRIGHT © 1987 DIGITAL EQUIPMENT CORPORATION.

TABLE OF CONTENTS

B-TC-MS400-0-DBU	MEMORY UPGRADE
B-DD-MS400-0-DBU	MEMORY UPGRADE (DD ONLY)
K-PL-MS400-0-DBP	MEMORY UPGRADE (PL)
B-DD-5416802-0-0	2/4 MB MEMORY OPTION (DD ONLY)
D-UA-5416802-0-0	2/4 MB MEMORY OPTION
K-PL-5416802-0-DBP	2/4 MB MEMORY OPTION (PL)
K-CS-5416802-0-1	2/4 MB MEMORY OPTION

UNIT VARIATIONS COVERED BY THIS PRINT SET
MS400-AA
MS400-BA

MS400
FIELD MAINTENANCE PRINT SET

DIGITAL EQUIPMENT CORPORATION

PRINT SET PART NUMBER MP-02430-01 REV A1

FILE NAME: TC-MS400-0-DBUA

REVISION HISTORY		
REV.	ECO NUMBER	DATE
A	INITIAL	

DRN. PAUL GAGNE	DATE 05-FEB-87	
CHK'D D. HEALY	DATE 19-FEB-87	
DES. ENG. L. KIZINA	DATE 19-FEB-87	
RESP. ENG. G. LORD	DATE 19-FEB-87	
FIELD SERVICE M. RIOPEL	DATE 19-FEB-87	
TOP DOC. B-DD-MS400-0-DBU		

TITLE: digital

MEMORY UPGRADE

SIZE	CODE	NUMBER	REV.
B	TC	MS400-0-DBU	A

SHEET 1 OF 1

SIZE	CODE	NUMBER	REV.
B	TC	MS400-0-DBU	A

ML01

SIZE	CODE	NUMBER	REV.
B	DD	MS400-0-DBU	A

DRAWING NO.	NO. OF SHTS.	PART NO.	DESCRIPTION	REVISIONS
		MS400-AA	2 MB MEMORY OPTION	A1
		MS400-BA	4 MB MEMORY OPTION	A1
K-PL-MS400-0-DBP	1		MEMORY UPGRADE (PL)	A
K-SP-MS400-0-DBF	13		MS400 MEMORY MODULE	A
B-TC-MS400-0-DBU	1		MEMORY UPGRADE (TC)	A
		MP-02430-01	PRINTSET, MS400	REF
K-DD-5416802-0-0	1		4 MB MEMORY OPTION	A

NOTES:

FILE NAME: DD-MS400-0-DBUA

REVISION HISTORY		
REV.	ECO NO.	DATE
A	INITIAL	

THIS DRAWING AND THE SPECIFICATIONS CONTAINED HEREIN ARE CONFIDENTIAL AND PROPRIETARY. THEY ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. THIS IS AN UNPUBLISHED WORK PROTECTED UNDER THE FEDERAL COPYRIGHT LAWS.

digital

DRN. PAUL GAGNE	DATE 28-JAN-87	TITLE 2/4 MB MEMORY OPTION
CHK'D D. HEALY	DATE 19-FEB-87	
DES. ENG. L. KIZINA	DATE 19-FEB-87	
RESP. ENG. G. LORD	DATE 19-FEB-87	SIZE B / CODE DD / NUMBER MS400-0-DBU / REV. A
MFG. ENG. D. TAYLOR	DATE 19-FEB-87	SHEET 1 OF 1

DRB.1Z0C
EK-01Z42-10-REV.1 3861

ML01

AUTOMATED BY VAXKPL (V1.3)

P A R T S L I S T

LINE	ITEM	TOP DOCUMENT	PART NUMBER	MIN REV	DESCRIPTION	QUANTITY PER VARIATION/REVISION AA A1	BA A1
1	1	B-DD-5416802-0-0	54-16802-AA		MS400-AA 2MB MEM,SURFACE MNT,256K	1	-
2	2	B-DD-5416802-0-0	54-16802-BA		MS400-BA 4MB MEM,SURFACE MNT,256K	-	1
3	3	SEE NOTE	37-00689-25		PKG UNIVERSAL MODULE	1	1

3 NOTE: REFERENCE PACKAGE SPEC, FA-3700689-25

REVISION HISTORY			KPL MATRIX FORMAT	SECTION A OF A	DRN: PAUL GAGNE DATE: 15-SEP-86	D I G I T A L
ENG	ECO NUMBER	REV	SECTION/VARIATION INDEX		CHK'D: D. HEALY DATE: 25-FEB-87	TITLE PARTS LIST MEMORY UPGRADE
	INITIAL	A	[A] AA,BA [B] [C] [D] [E] [F] [H] [J]		DES.ENG: L. KIZINA DATE: 25-FEB-87 RESP.ENG.: G. LORD DATE: 25-FEB-87 MFG.ENG: D. TAYLOR DATE: 25-FEB-87	DOCUMENT NUMBER: SIZE K, CODE PL, NUMBER MS400-0-DBP, REV A RELEASE DATE: 25-FEB-87 RELEASE STATUS: RELEASED
			BASIC PART NUMBER: MS400	ASSEMBLY NUMBER:	TOP DOCUMENT NUMBER: K-PL-MS400-0-DBP	FILE NAME: MLA0754A.PLS EDIT # 13

"THIS DRAWING AND THE SPECIFICATIONS CONTAINED HEREIN ARE CONFIDENTIAL AND PROPRIETARY. THEY ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. THIS IS AN UNPUBLISHED WORK PROTECTED UNDER THE FEDERAL COPYRIGHT LAWS."

$

DRAWING NO.	NO.SHTS	PART NO.	DESCRIPTION	REVISIONS
		5416802-AA	2 MB MEMORY OPTION	A1 A2
		5416802-BA	4 MB MEMORY OPTION	A1 A2
D-UA-5416802-0-0	2		UNIT ASSEMBLY	A
D-UA-5416802-1-0	2		UNIT ASSEMBLY	A
B-CS-5416802-0-0	11		CIRCUIT SCHEMATICS	A A
K-PL-5416802-0-DBP	3		PARTS LIST	A A
K-PC-5416802-0-DBC			P.C. DATA BASE	A A
K-CS-5416802-0-DBX			SCHEMATIC DATA BASE	D A
		5016801-01	ETCHED CIRCUIT BOARD	A A
K-DD-5016801-0-0	1		DRAWING DIRECTORY	D1 D2
				A A

NOTES:

REVISION HISTORY			
REV	ECO	DATE	
A	INIT	10/6/86	

THIS DRAWING AND THE SPECIFICATIONS CONTAINED HEREIN ARE CONFIDENTIAL AND PROPRIETARY. THEY ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. THIS IS AN UNPUBLISHED WORK PROTECTED UNDER THE FEDERAL COPYRIGHT LAWS.

DRN: J. CUNNINGHAM	DATE: 10/7/86	digital
CHK'D: L. HAYWOOD	DATE: 10/7/86	TITLE: 2/4 MB MEMORY OPTION
DES.ENG.: G. LORD	DATE: 10/7/86	SHEET 1 OF 1 / EDIT: 3
RESP.ENG.: G. LORD	DATE: 10/7/86	DOCUMENT NUMBER / DD FILENAME: 5416802A.DDF
MFG.ENG.: D. TAYLOR	DATE: 1/20/86	SIZE: K / CODE: DD / NUMBER: 5416802-0-0 / REV: A

SIDE I VIEW



NOTES: LR62 IS INSTALLED ONLY ON BA(4MB) VARIATION

DRAWN L. HATWOOD	DATE 7-2-86	TITLE digital	
DESIGNED J. CUNNINGHAN	DATE 7-2-86	2/4 MB MEMORY OPTION	
ENGINEERING MGR G. Lord by ZS	DATE 11-25-86		
PROJECT MGR G. Lord by ZS	DATE 11-25-86		
QUALITY ASSURANCE David Doyle	DATE 12-10-86	DOCUMENT NUMBER D UA 5416802-0-0 REV A	
K-DD-5416802-0-0		SCALE 2/1 SHEET 1 OF 4	

REVISION HISTORY

REV	ECO NUMBER	DATE
A	INIT	986

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT ©
1986 DIGITAL EQUIPMENT CORPORATION

D UA 5416802-0-0 A

SIDE 2 VIEW



REVISION HISTORY

DATE	ECO NUMBER	REV

TITLE 2/4 MB MEMORY OPTION

DOCUMENT NUMBER

SIZE	CODE	NUMBER	REV
D	UA	5416802-0-0	A

SCALE 2 : 1 SHEET 2 OF 4


8
7
6
5
4
3
2
1
D
C
B
A
J1
J2
C158
C159
R62
C157
C100
C119
E43
C37
2/4 MB
MEMORY OPTION
D UA 5416802-0-0
SCALE 4/1
SHEET 3 OF 4
DATE 11/66
ECO NUMBER INIT
REV A

THIS DRAWING AND SPECIFICATIONS HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1985 DIGITAL EQUIPMENT CORPORATION

(DIMENSIONS ARE GIVEN RELATIVE TO "H" MASTER 0)

ASSOCIATED PIN ID	X	Y	SIGNAL NAME	LOCATION CODE
J2.19	6.900	2.400	BDAL17 H	1
J2.17	7.000	2.400	BDAL19 H	2
J2.15	7.100	2.400	BDAL21 H	3
J2.11	7.300	2.400	BDAL23 H	4
J2.16	7.100	2.300	BDAL20 H	5
J2.18	7.000	2.300	BDAL18 H	6
J2.12	7.300	2.300	BDAL22 H	7
J2.4	7.700	2.300	BDAL30 H	8
J2.20	6.900	2.300	BDAL16 H	9
J1.39	3.700	2.400	+57A	10
J1.40	3.700	2.300	+5VA	11
E38.4	6.450	5.900	E38.4	12
E38.7	6.400	5.750	E38.7	13
E38.12	6.100	4.850	E38.12	14
E39.1	6.450	6.050	H38.1	15
E45.1	7.150	6.950	E45.1	16
E45.15	6.950	6.000	E45.15	17
E45.12	6.950	5.850	H45.12	18
E45.9	6.950	5.700	H45.9	19
E38.3	6.300	5.950	H38.3	20
E45.3	7.150	5.950	E45.3	21
E45.7	7.300	5.750	E45.7	22
E45.4	7.300	5.900	E45.4	23
H11.2	7.350	6.150	XMAS40 L	24
H2	6.500	6.100	H2	25
H38.9	6.100	5.700	E38.9	26
H7.2	6.600	6.150	XMAS31 L	27
H44.1	7.350	5.600	E44.1	28
E44.3	7.150	2.400	MSELA H	29
H44.2	7.100	5.500	MSELA H	30
J1.30	4.200	5.550	E44.2	31
H41.9	6.950	2.300	XMAS L	32
H41.5	6.950	4.600	E41.9	33
H29.1	7.000	4.800	E41.5	34
E41.12	6.400	4.650	H29.1	35
E41.16	6.400	4.600	E41.12	36
H26.1	6.350	4.800	E41.16	37
H31.1	6.350	4.650	H26.1	38
H33.1	7.000	4.850	H31.1	39
E41.1	6.950	4.850	H33.1	40
J1.18	4.800	5.000	E41.1	41
H43.1	7.000	2.300	XMEMADD2 H	42
E40.5	6.950	4.150	H43.1	43
		4.100	E40.5	44

ASSOCIATED PIN ID	X	Y	SIGNAL NAME	LOCATION CODE
E40.14	6.950	4.000	E40.14	45
E40.9	6.950	3.900	E40.9	46
H45.1	6.250	4.150	H45.1	47
E40.16	6.400	4.100	E40.16	48
H46.1	6.350	3.950	H46.1	49
E40.12	6.400	3.800	E40.12	50
E40.1	6.450	4.100	E40.1	51
E39.1	6.950	3.650	E39.1	52
R16.1	7.000	3.950	R16.1	53
E39.5	6.950	3.800	E39.5	54
E39.7	6.450	3.700	E39.7	55
E39.9	6.950	3.200	E39.9	56
R17.1	6.350	3.350	R17.1	57
J1.26	4.400	2.300	LA30 L	58
J1.25	4.400	2.400	CAS1 L	59
E39.18	6.400	3.500	E39.18	60
J2.30	6.400	2.300	BDAL08 H	61
J2.26	6.600	2.300	BDAL10 H	62
J2.25	6.600	2.400	BDAL11 H	63
J2.24	6.700	2.300	BDAL12 H	64
J2.22	6.800	2.300	BDAL14 H	65
J2.3	7.700	2.400	BDAL31 H	66
J2.21	6.800	2.400	BDAL15 H	67
J2.23	6.700	2.400	BDAL13 H	68
J2.29	6.400	2.400	BDAL09 H	69
H43.2	7.300	4.200	BWAD27 H	70
E75.9	10.300	2.200	XDAL15 H	71
J2.5	7.600	2.400	BDAL29 H	72
J2.6	7.600	2.300	BDAL28 H	73
J2.7	7.500	2.400	BDAL27 H	74
J2.8	7.500	2.300	BDAL26 H	75
J2.9	7.400	2.400	BDAL25 H	76
J2.10	7.400	2.300	BDAL24 H	77
E55.8	8.600	2.250	XDAL30 H	78
E65.5	9.300	2.400	XDAL03 H	79
E65.4	9.350	2.450	XDAL02 H	80
J2.38	6.000	2.300	XDAL00 H	81
J2.37	6.000	2.400	XDAL01 H	82
J2.36	6.100	2.300	XDAL02 H	83
J2.35	6.100	2.400	BDAL06 H	84
J2.31	6.300	2.400	XDALOT H	85
J1.22	4.600	2.300	J1.22	86
E44.6	7.100	5.350	E44.6	87
E44.5	7.150	5.400	E44.5	88
J1.35	3.900	2.400	VDRH L	89
J1.31	4.100	2.400	SR45 L	90
J1.16	4.900	2.300	XEMADDA H	91
J1.15	4.900	2.400	XEMADD5 H	92
J1.24	4.500	2.300	CAS2 L	93

ASSOCIATED PIN ID	X	Y	SIGNAL NAME	LOCATION CODE
J1.19	8.700	2.400	XEMADD1 H	94
J1.20	4.700	2.300	XEMADD0 H	95
J1.17	4.800	2.400	XEMADD3 H	96
J1.34	4.900	2.300	VAS L	97
J1.29	4.200	2.400	MSELC H	98
E44.7	7.150	5.300	MSELC H	99
E65.3	9.300	2.500	XDAL01 H	100
E55.7	8.550	2.300	XDAL29 H	101
E55.5	8.550	2.400	XDAL27 H	102
E55.3	8.550	2.500	XDAL25 H	103
E75.19	9.900	2.600	E75.19	104
J1.11	5.100	2.400	XEMADD7 H	105
J1.12	5.100	2.300	XEMADD6 H	106
R22.2	7.300	3.200	XCAS03 L	107
E65.9	9.300	2.200	XDAL07 H	108
E65.8	9.350	2.250	XDAL06 H	109
H65.7	9.300	2.300	XDAL05 H	110
E55.6	8.600	2.350	XDAL28 H	111
E55.4	8.550	2.250	XDAL31 H	112
E43.5	7.100	2.900	XDAL19 H	113
E55.4	8.600	2.400	XDAL26 H	114
E43.1	7.150	2.950	XDAL18 H	115
R27.2	7.300	4.600	BWAD21 H	116
J1.2	5.600	2.300	+5VB	117
H49.2	7.400	3.900	BWAD25 H	118
H29.2	7.300	4.700	BWAD22 H	119
J1.1	5.600	2.400	+5VC	120
H5.2	6.700	6.150	XMAS41 L	121
E43.7	7.100	2.800	XDAL21 H	122
H43.8	7.150	2.750	XDAL22 H	123
H9.2	6.100	6.150	XMAS21 L	124
E43.9	7.100	2.700	XCAL23 H	125
H47.2	7.300	4.100	BWAD24 H	126
J2.1	7.800	2.400	GND	127
J2.2	7.800	2.300	GND	128
J2.13	7.200	2.400	GND	129
J2.14	7.200	2.300	GND	130
J2.27	6.500	2.400	GND	131
J2.28	6.500	2.300	GND	132
J2.39	5.900	2.400	GND	133
J2.40	5.900	2.300	GND	134
J1.3	5.500	2.400	GND	135
J1.4	5.500	2.300	GND	136
J1.13	5.000	2.400	GND	137
J1.14	5.000	2.300	GND	138
J1.21	4.600	2.400	GND	139
J1.27	4.300	2.400	GND	140
J1.28	4.300	2.300	GND	141
J1.37	3.800	2.400	GND	142

ASSOCIATED PIN ID	X	Y	SIGNAL NAME	LOCATION CODE
J1.38	3.800	2.300	GND	143
R23.2	6.050	3.300	XCAS12 L	144
E65.6	9.350	2.350	XDAL04 H	145
E43.6	7.150	2.850	XDAL20 H	146
H4.R2	6.050	4.200	BWAD14 H	147
H30.2	6.050	4.800	BWAD13 H	148
H31.2	6.050	4.900	BWAD10 H	149
H43.3	7.100	3.000	XDAL17 H	150
R26.2	6.050	3.900	BWAD16 H	151
H40.2	6.100	4.700	BWAD11 H	152
H44.2	6.050	4.050	BWAD37 H	153
H28.2	6.050	4.100	BWAD17 H	154
H6.2	6.050	4.600	BWAD12 H	155
E75.7	10.300	4.000	BWAD15 H	156
E75.6	10.350	2.300	XDAL13 H	157
E75.3	10.300	2.350	XDAL12 H	158
H15.2	6.050	2.500	XDAL09 H	159
E75.4	10.350	3.500	BWAD28 H	160
E75.5	10.300	2.450	XDAL10 H	161
E75.8	10.350	2.400	XDAL11 H	162
H45.2	7.300	2.250	XDAL14 H	163
H8.2	6.900	4.000	BWAD26 H	164
H16.2	7.300	6.150	XMAS20 L	165
H32.2	7.300	3.500	XCAS00 L	166
H33.2	7.300	4.800	BWAD20 H	167
H24.2	6.100	4.900	BWAD23 H	168
E39.12	6.400	3.350	XCAS11 L	169
H10.2	7.450	3.150	BWRT10 L	170
H12.2	6.000	5.850	XMAS30 L	171
H6.2	6.800	6.150	XMAS11 L	172
H17.2	6.950	6.150	XMAS10 L	173
H18.2	7.300	3.400	BWAD18 H	174
H55.2	8.600	3.800	XCAS01 L	175
H43.2	7.150	2.550	XDAL24 H	176
E75.2	10.350	3.050	XDAL16 H	177
E65.2	9.350	2.550	XDAL08 H	178
E75.1	10.100	2.550	XDAL00 H	179
J1.23	4.500	2.600	BWRITE L	180
H20.2	7.300	2.400	CAS3 L	181
J1.5	5.400	3.300	XCAS02 L	182
J1.6	5.400	2.400	FBIT3 H	183
J1.7	5.300	2.300	FBIT2 H	184
J1.8	5.300	2.400	FOIT1 H	185
H1.10	5.200	2.300	FOITO H	186
E39.14	6.500	2.400	XEMBADD8 H	187
E38.10	6.250	5.750	GWRT20 L	188
E45.10	7.100	5.750	E38.10	189
E45.13	7.100	5.900	E45.10	190
			E45.13	191

ASSOCIATED PIN ID	X	Y	SIGNAL NAME	LOCATION CODE
E38.13	6.250	5.900	E38.13	192
H45.6	7.150	5.800	E45.6	193
H38.6	6.300	5.800	E38.6	194
J1.32	4.100	2.300	XSELB H	195
E44.8	7.050	5.450	XSELB H	196
E123.18	6.950	4.900	E123.18	197
E123.14	6.950	4.700	E123.14	198
E123.3	6.400	4.900	E123.3	199
E123.7	6.400	4.700	E123.7	200
R58.1	6.350	4.50	R58.1	201
R52.1	6.350	4.750	R52.1	202
R57.1	7.000	4.750	R57.1	203
H1.2	7.000	4.950	H1.2	204
H55.1	7.000	4.550	H55.1	205
H13.2	7.000	4.250	H13.2	206
E122.18	6.950	4.200	E122.18	207
H35.1	7.000	4.050	H35.1	208
E122.14	6.950	4.000	E122.14	209
H37.1	7.000	3.850	H37.1	210
H40.1	6.350	4.050	H40.1	211
E122.3	6.400	4.200	E122.3	212
E122.7	6.400	4.00	E122.7	213
H38.1	6.350	3.850	H38.1	214
H121.18	6.950	3.500	H121.18	215
H19.1	7.000	3.350	H19.1	216
H25.1	6.350	3.450	H25.1	217
E121.5	6.400	3.400	E121.5	218
E121.7	6.400	3.300	E121.7	219
H4.2	7.000	3.550	H4.2	220
H25.2	6.100	3.450	XCAS10 L	221
H42.2	6.050	3.200	XCAS13 L	222
H37.2	7.250	3.850	BWAD45 H	223
H55.2	7.250	4.550	BWAD41 H	224
H21.2	7.250	3.450	BWAD48 H	225
H53.2	7.250	4.650	BWAD42 H	226
H41.2	7.250	4.150	BWAD47 H	227
H35.2	7.250	4.050	BWAD44 H	228
H54.2	6.100	4.850	BWAD30 H	229
H52.2	6.100	4.550	BWAD32 H	230
H38.2	6.100	3.950	BWAD36 H	231
H34.2	6.100	4.150	BWAD39 H	232
H36.2	6.100	3.950	BWAD35 H	233
H54.2	6.100	4.650	BWAD31 H	234
H51.2	7.250	4.950	BWAD43 H	235
H57.2	7.250	4.750	BWAD40 H	236
H39.2	7.250	4.950	BWAD46 H	237
H19.2	7.250	3.350	BWAD38 H	238
E121.14	7.250	3.250	BWRT40 L	239
E121.12	6.400	2.900	BWRT30 L	240

REVISION HISTORY		
DATE	ECO NUMBER	REV
9/86	INIT	A

TITLE 2/4 MB MEMORY OPTION

DOCUMENT NUMBER		
SIZE	CODE	NUMBER
D	UA	5416802-0-0

REV A | SIZE CODE D UA | NUMBER 5416802-0-0

SCALE 1/1 SHEET 4 OF 4

SIDE I VIEW



NOTES: 1. R62 IS INSTALLED ONLY ON BA (4MB) VARIATION.

REVISION HISTORY			
REV	ECO NUMBER	INIT	DATE
A			9/86

DRAWN	L HAYWOOD	DATE	7-2-86
CHECKED	J. CUNNINGHAM	DATE	7-2-86
ISSUE ENG	C. Lord by P.S	DATE	11-25-86
GROUP ENG	C. Lord by P.S	DATE	11-25-86
TEST ENG		DATE	2-10-87
TEST SPEC. NO	K-DD-5416902-0-0		

TITLE: digital
2/4 M B MEMORY OPTION

DOCUMENT NUMBER			
SIZE	CODE	NUMBER	REV
D	UA	5416802-1-0	A
SCALE 2/1		SHEET 1 OF 4	

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1985 DIGITAL EQUIPMENT CORPORATION

SIDE 2 VIEW



REVISION HISTORY		
DATE	ECO NUMBER	REV
[illegible]	INIT	A

TITLE 2/4 M B MEMORY OPTION

DOCUMENT NUMBER			
SIZE	CODE	NUMBER	REV
D	UA	5416802-1-0	A

SCALE 2/1 SHEET 2 OF 5


8
7
6
5
4
3
2
1
A
B
C
D
THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1986 DIGITAL EQUIPMENT CORPORATION
DUA 5416802-1-0
E84 E74 E64 E54 C80 C71 C61 C52 C42 C41 E36 E27 E18 E9 C36 C27 C18 C9
E83 E73 E63 E53 C79 C70 C60 C51 E45 E38 E35 E26 E17 E8 C35 C26 C17 C8
E82 E72 E62 E52 C78 C69 C59 C50 E44 E42 E37 C43 C90 E34 E25 E16 E7 C34 C25 C16 C7
E81 E71 E61 E51 C77 C68 C58 C49 E41 C40 E33 E24 E15 E6 C33 C24 C15 C6
E80 E70 E60 E50 C76 C67 C57 C48 E40 C39 E32 E23 E14 E5 C32 C23 C14 C5
E79 E69 E59 E49 C75 C66 C56 C47 E39 C38 E31 E22 E13 E4 C31 C22 C13 C4
E78 E68 E58 E48 C74 C65 C55 C46 E30 E21 E12 E3 C30 C21 C12 C3
E77 E67 E57 E47 C73 C64 C54 C45 E29 E20 E11 E2 C29 C20 C11 C2
E76 E66 E56 E46 C72 C63 C53 C44 E28 E19 E10 E1 C28 C19 C10 C1
E75 E65 E55 C62 C119 C100 C158 C159 C152 R62 E43
R11 R10 R61 R8 R2 R3 R14 R15 R12 R9 R5 R6 R7 R59 R60
J2 J1
DATE ECO NUMBER REV
11/85 INIT A
TITLE 2/4 MB MEMORY OPTION
DOCUMENT NUMBER
SIZE D CODE UA NUMBER 5416802-1-0 REV A
SCALE 4/1 SHEET 3 OF 4

THIS DRAWING AND SPECIFICATIONS, HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OF SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1986 DIGITAL EQUIPMENT CORPORATION

(DIMENSIONS ARE GIVEN RELATIVE TO "M" MASTER 0)

ASSOCIATED PIN ID	X	Y	SIGNAL NAME	LOCATION CODE
J2.19	6.900	2.400	RDAL17 H	1
J2.17	7.000	2.400	RDAL19 H	2
J2.15	7.100	2.400	RCAL21 H	3
J2.11	7.300	2.400	RDAL23 H	4
J2.16	7.100	2.300	RDAL20 H	5
J2.18	7.000	2.300	BDAL18 H	6
J2.12	7.300	2.300	RDAL22 H	7
J2.4	7.700	2.300	RDAL30 H	8
J2.20	6.900	2.300	RDAL16 H	9
J1.39	3.700	2.400	+5VA	10
J1.40	3.700	2.300	+5VA	11
E38.4	6.450	5.900	E38.4	12
E38.7	6.400	5.750	E38.7	13
E38.12	6.100	5.750	E38.12	14
E38.1	6.450	6.050	E3R.1	15
E45.1	7.150	6.050	E45.1	16
E45.15	6.950	6.000	E45.15	17
E45.12	6.950	5.850	E45.12	18
E45.9	6.950	5.700	E45.9	19
E36.3	6.300	5.950	E38.3	20
E45.3	7.150	5.950	E45.3	21
R45.7	7.300	5.750	E45.7	22
R45.8	7.300	5.900	E45.4	23
R11.2	7.350	6.150	MRAS40 L	24
R2	6.500	6.100	R2	25
E38.9	6.100	5.700	E38.9	26
R7.2	6.600	6.150	MRAS31 L	27
R44.1	7.150	5.600	R44.1	28
J1.33	4.000	2.400	MSELA H	29
R44.3	7.150	5.500	MSELA H	30
R44.2	7.100	5.550	R44.2	31
J1.30	4.200	2.300	RMAS L	32
R41.9	6.950	4.600	E41.9	33
R41.5	6.950	4.800	E41.5	34
R29.1	7.000	4.650	R29.1	35
E41.12	6.400	4.600	RA1.12	36
E41.16	6.400	4.800	E41.16	37
R26.1	6.350	4.650	R26.1	38
R31.1	6.350	4.850	R31.1	39
R33.1	7.000	4.850	R33.1	40
E41.1	6.950	5.000	E41.1	41
J1.18	4.800	2.300	RDMADD2 H	42
R43.1	7.000	4.150	R43.1	43
E40.5	6.950	4.100	E40.5	44
E40.18	6.550	4.300	E40.18	45
E40.9	6.950	3.900	E40.9	46
R48.1	6.350	4.150	R48.1	47
E40.16	6.400	4.100	E40.16	48
R46.1	6.350	3.950	R46.1	49
E40.12	6.400	3.900	E40.12	50
E40.1	6.950	4.300	E40.1	51
E39.1	6.950	3.500	E39.1	52
R16.1	7.000	3.450	R16.1	53
E39.5	6.950	3.400	E39.5	54
E39.7	6.950	3.300	E39.7	55
E39.9	6.950	3.200	E39.9	56
R17.1	6.350	3.350	R17.1	57
J1.26	4.400	2.300	LAS0 L	58
J1.25	4.400	2.400	CAS1 L	59
E39.18	6.400	3.500	E39.18	60
J2.30	6.400	2.300	RCAL08 H	61
J2.26	6.600	2.300	RDAL10 H	62
J2.25	6.600	2.400	RDAL11 H	63
J2.24	6.700	2.300	RDAL12 H	64
J2.22	6.800	2.300	RCAL14 H	65
J2.3	7.700	2.400	RDAL31 H	66
J2.21	6.800	2.400	RCAL15 H	67
J2.23	6.700	2.400	RDAL13 H	68
J2.29	6.400	2.400	RCAL09 H	69
R43.2	7.300	4.200	RMAD27 H	70
E75.9	10.300	2.200	RCAL25 H	71
J2.5	7.600	2.400	RCAL29 H	72
J2.6	7.600	2.300	RDAL28 H	73
J2.7	7.500	2.400	RDAL27 H	74
J2.8	7.500	2.300	RDAL26 H	75
J2.9	7.400	2.400	RDAL29 H	76
J2.10	7.400	2.300	RDAL24 H	77
E55.8	8.600	2.250	RDAL30 H	78
E65.5	9.300	2.400	RDAL03 H	79
E65.4	9.350	2.450	RDAL02 H	80
J2.36	6.000	2.300	BDAL00 H	81
J2.37	6.000	2.400	RDAL01 H	82
J2.36	6.100	2.300	RDAL02 H	83
J2.35	6.100	2.400	BDAL06 H	84
J2.31	6.300	2.400	RDAL07 H	85
J1.22	4.600	2.300	J1.22	86
R44.6	7.100	5.350	R44.6	87
R44.5	7.150	5.400	R44.5	88
J1.35	3.900	2.400	YDBE L	89
J1.31	4.100	2.400	SRAS L	90
J1.16	4.900	2.300	RDMADR4 H	91
J1.15	4.900	2.400	RDMADD5 H	92
J1.24	4.500	2.300	CAS2 L	93
J1.19	8.700	2.400	RDMADD1 H	94
J1.20	8.700	2.300	RDMADD0 H	95
J1.17	8.900	2.400	RDMADD3 H	96
J1.34	4.000	2.300	WAS L	97
J1.29	4.200	2.400	MSELC H	98
E44.7	7.150	5.300	MSELC H	99
E65.3	9.300	2.500	RDAL01 H	100
E55.7	8.550	2.300	RDAL29 H	101
E55.5	8.950	2.400	RDAL27 H	102
E55.3	8.550	2.500	RDAL25 H	103
E75.19	4.900	2.600	E75.19	104
J1.11	5.100	2.400	RDMADD7 H	105
J1.12	5.100	2.300	RDMADD6 H	106
R22.2	7.300	3.200	RCAS03 L	107
E65.9	9.300	2.200	RDAL07 H	106
E65.8	9.350	2.250	RDAL06 H	109
R65.7	9.300	2.300	RDAL05 H	110
E55.6	8.600	2.350	RDAL28 H	111
E55.9	6.550	2.200	RDAL31 H	112
R43.5	7.100	2.900	RDAL19 H	113
E55.4	8.600	2.400	RDAL25 H	114
R43.4	7.150	2.950	RDAL18 H	115
R27.2	7.300	4.600	BMAD21 H	116
J1.2	5.600	2.300	+5VB	117
R49.2	7.500	3.900	RMAD25 H	118
R29.2	7.300	4.700	BMAD22 H	119
J1.1	5.600	2.400	+5VC	120
R5.2	6.700	6.150	MRAS41 L	121
R43.7	7.100	2.500	RDAL21 H	122
R43.8	7.150	2.750	RDAL22 H	123
R9.2	6.100	6.150	MRAS21 L	124
R43.9	7.100	2.700	RDAL23 H	125
R47.2	7.300	4.100	BMAD24 H	126
J2.1	7.800	2.400	GND	127
J2.2	7.800	2.300	GND	128
J2.13	7.200	2.400	GND	129
J2.14	7.200	2.300	GND	130
J2.27	6.500	2.400	GND	131
J2.28	6.500	2.300	GND	132
J2.39	5.900	2.400	GND	133
J2.40	5.900	2.300	GND	134
J1.3	5.500	2.400	GND	135
J1.4	5.500	2.300	GND	136
J1.13	5.000	2.400	GND	137
J1.14	5.000	2.300	GND	138
J1.21	4.600	2.400	GND	139
J1.27	4.300	2.400	GND	140
J1.26	4.300	2.300	GND	141
J1.37	3.800	2.400	GND	142
J1.38	3.800	2.300	GND	143
R23.2	6.050	3.300	RCAS12 L	144
E65.6	9.350	2.350	RDAL04 H	145
E43.6	7.150	2.950	RDAL20 H	146
R8.R2	6.050	4.200	BMAD18 H	147
R30.2	6.050	4.200	BMAD13 H	148
R31.2	6.050	4.900	BMAD10 H	149
E43.3	7.100	3.000	RDAL17 H	150
	6.050	3.900	BMAD16 H	151
R26.2	6.050	4.700	BMAD11 H	152
R80.2	6.100	4.050	BMAD37 H	153
R84.2	6.050	4.100	BMAD17 H	154
R28.2	6.050	4.600	BMAD12 H	155
46.2	6.050	4.000	BMAD15 H	156
E75.7	10.300	2.300	RDAL13 H	157
E75.6	10.350	2.350	RDAL12 H	158
E75.3	10.300	2.500	RDAL09 H	159
R15.2	6.050	3.500	BMAD28 H	160
E75.4	10.350	2.450	RDAL10 H	161
E75.5	10.300	2.400	RDAL11 H	162
E75.8	10.350	2.250	RDAL14 H	163
R45.2	7.300	4.000	BMAD26 H	164
R8.2	6.900	6.150	MRAS20 L	165
R16.2	7.300	3.500	MCAS00 L	166
R32.2	7.300	4.800	BMAD20 H	167
R33.2	7.300	4.900	BMAD23 H	168
R24.2	6.100	3.350	MCAS11 L	169
E39.12	6.400	3.150	SWRT10 L	170
R10.2	7.450	5.850	MRAS30 L	171
R12.2	6.000	6.150	MRAS11 L	172
R6.2	6.800	6.150	MRAS10 L	173
R17.2	6.050	3.400	BMAD18 H	174
R18.2	7.300	3.400	MCAS01 L	175
E55.2	8.600	2.550	RDAL24 H	176
R43.2	7.150	3.050	RDAL16 H	177
E75.2	10.350	2.550	RDAL08 H	178
E65.2	9.350	2.550	RDAL00 H	179
E75.1	10.300	2.600	SWRITE L	180
J1.23	4.500	2.400	CAS3 L	181
R20.2	7.300	3.300	MCAS02 L	182
J1.5	5.400	2.400	PBIT3 H	183
J1.6	5.400	2.300	PBIT2 H	184
J1.7	5.300	2.400	PBIT1 H	185
J1.8	5.300	2.300	PBIT0 H	186
R1.10	5.200	2.300	RDMBADD8 H	187
E39.14	6.500	2.900	SWRT20 L	188
E38.10	6.250	5.750	E38.10	189
E45.10	7.150	5.750	E45.10	190
E45.13	7.150	5.900	E45.13	191
R38.13	6.250	5.900	E38.13	192
R45.6	7.150	5.800	E45.6	193
E38.6	6.300	5.800	E38.6	194
J1.32	4.100	2.300	MSELB H	195
E44.4	7.050	5.450	MSELB H	196
E123.18	6.950	4.900	E123.18	197
E123.14	6.950	4.700	E123.14	198
E123.3	6.400	4.900	E123.3	199
E123.7	6.400	4.700	E123.7	200
R54.1	6.350	4.50	R54.1	201
R52.1	6.350	4.750	R52.1	202
R57.1	7.000	4.750	R57.1	203
E1.2	7.000	4.950	E1.2	204
R55.1	7.000	4.550	R55.1	205
R13.2	7.000	4.250	R13.2	206
R122.18	6.950	4.200	R122.18	207
R35.1	7.000	4.050	R35.1	208
E122.14	6.950	4.000	E122.14	209
R37.1	7.000	3.950	R37.1	210
R40.1	6.350	4.050	R40.1	211
E122.3	6.400	4.200	E122.3	212
E122.7	6.400	4.00	E122.7	213
R38.1	6.350	3.850	R38.1	214
E121.16	6.950	3.500	E121.16	215
R19.1	7.000	3.350	R19.1	216
R25.1	6.350	3.450	R25.1	217
E121.5	6.400	3.400	E121.5	218
E121.7	6.400	3.300	E121.7	219
R4.2	7.000	3.550	R4.2	220
R25.2	6.100	3.450	MCAS10 L	221
R42.2	6.050	3.200	MCAS13 L	222
R37.2	7.250	3.850	BMAD45 H	223
R55.2	7.250	4.550	BMAD41 H	224
R21.2	7.250	3.450	BMAD48 H	225
R53.2	7.250	4.650	BMAD42 H	226
R81.2	7.250	4.150	BMAD47 H	227
R35.2	7.250	4.050	BMAD44 H	228
R54.2	6.100	4.850	BMAD30 H	229
R52.2	6.100	4.550	BMAD32 H	230
R38.2	6.100	3.850	BMAD36 H	231
R34.2	6.100	4.150	BMAD34 H	232
R36.2	6.100	3.950	BMAD35 H	233
R58.2	6.100	4.650	BMAD31 H	234
R51.2	7.250	4.350	BMAD43 H	235
R47.2	7.250	4.750	BMAD40 H	236
R34.2	7.250	3.950	BMAD46 H	237
R19.2	7.250	3.350	BMAD38 H	238
E121.14	7.250	3.250	BWRT40 L	239
E121.12	6.400	2.900	BWRT30 L	240

REVISION HISTORY		
DATE	ECO NUMBER	REV
11-SEP-86	INIT	A

TITLE	2/4 MB MEMORY OPTION
SIZE	D
CODE	UA
NUMBER	5416802-1-0
REV.	A
SCALE	1/1
SHEET	4 OF 4

SOFTCODE	DUA
NUMBER	5416802-1-0
REV	A

AUTOMATED BY VAXKPL (V1.5) — P A R T S L I S T — SHEET A1 OF A2

LINE	ITEM	TOP DOCUMENT	PART NUMBER	MIN REV	DESCRIPTION	QTY PER VAR/REV AF A2	AH A2	AP A2	BF A2	REFERENCE DESIGNATORS
1	1	D-XD-5416802-0-0	30-16601-01		CIRCUIT DRILL AND ETCH	1	1	1	1	
2	2		13-27958-01		0.22 MFD 50V +/-20% Z5U CR	-	-	-	156	C1-C156
			CONT			83	83	83	-	C1-C30,C90,C100,C119
3	3		10-24455-18		10 MFD 15V +/-10% CHI	3	3	3	3	C157-C159
4	4		12-19065-05		CONN,PWB 40POS(2X20)	2	2	2	2	J1,J2
5	5		13-23825-11		27.0 .25 W 5.0 % CHIP	-	-	-	53	R5-R12,R15-R58,R62
			CONT			30	30	30	-	R5-R12,R15-R18,R20,R22,R26-R33,
									CONT	R43-R50
6	6		13-23829-01		100.0 .25 W 1.0 % CHIP	-	-	-	9	R1-R4,R13,R14,R59-R61
			CONT			6	6	6	-	R2,R3,R14,R59-R61
7	7		19-20441-02		74F245 TRANSCEIVER,BI-DIREC	4	4	4	4	E43,E55,E65,E75
8	8		19-20572-02		74F244 BUFFER/LINE DRIVER,O	-	-	-	6	E39-E41,E121-E123
			CONT			3	3	3	-	E39-E41
9	9		19-21010-03		74F373 OCTAL TRANSPARENT LA	1	1	1	1	E44
10	10		19-21312-02		74F32 OR GATE,QUAD,2-IN	1	1	1	1	E37
11	11		19-21316-02		74F138D DECODER/DEMUX,1OF8,S	1	1	1	1	E42
12	12		19-21330-02		74F257 DATA SEL/MUX,QUAD 2T	2	2	2	2	E38,E45
13	13		21-21413-22		41256 RAM 256KX1,DYNAMIC M	-	72	-	-	E1-E36,E46-E54,E56-E64,E66-E74,
									CONT	E76-E84
14	14		21-21414-22		256KX1,DYNAMIC 150NS	-	-	-	144	E1-E36,E46-E54,E56-E64,E66-E74,
									CONT	E76-E120,E124-E159
			CONT			72	-	-	-	E1-E36,E46-E54,E56-E64,E66-E74,
									CONT	E76-E84
15	15		21-22422-22		256KX1 MOS RAM 150NS 1	-	-	72	-	E1-E36,E46-E54,E56-E64,E66-E74,
									CONT	E76-E84

1 GEN: 5416802-AA IS THE PRIMARY VARIATION OF THE 2MB MODULE.
2 GEN: 5416802-BA IS THE PRIMARY VARIATION OF THE 4 MB MODULE
3 GEN: 5416802-AH IS A MODULE USING NEC 256K PLCC DRAMS
4 GEN: 5416802-AP IS A MODULE USING MITSUBISHI 256K PLCC DRAMS

REVISION HISTORY			KPL MODULE FORMAT	SECTION A OF B	DRN: J. CUNNINGHAM	DIGITAL
ENG	ECO NUMBER	REV	SECTION/VARIATION INDEX		DATE: 31-JUL-85	
	INITIAL	A	[A] AF,AH,AP,BF [M]		CHK'D: D. DROZD	TITLE PARTS LIST
			[B] BH,BP [N]		DATE: 31-JUL-85	2 / 4 MB MEMORY OPTION
			[C] [P]		DES.ENG: G. LORD	
			[D] [Q]		DATE: 31-JUL-85	DOCUMENT NUMBER
			[E] [R]			SIZE CODE NUMBER REV
			[F] [S]		RESP.ENG.: G. LORD	K PL 5416802-0-DBP A
			[H] [T]		DATE: 27-JAN-86	
			[J] [V]		MFG.ENG: D. TAYLOR	RELEASE DATE: 04-FEB-87
			[K] [W]		DATE: 08-AUG-86	RELEASE STATUS: RELEASED
			[L] [Y]			

BASIC PART NUMBER:	ASSEMBLY NUMBER:	TOP DOCUMENT NUMBER:	FILE NAME:	EDIT #
5416802	D-UA-5416802-2-0	B-DD-5416802-0-0	GH057A.PLS	38

"THIS DRAWING AND THE SPECIFICATIONS CONTAINED HEREIN ARE CONFIDENTIAL AND PROPRIETARY. THEY ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. THIS IS AN UNPUBLISHED WORK PROTECTED UNDER THE FEDERAL COPYRIGHT LAWS."

*** DOCUMENT CONVERTED TO VAX ***

LINE ITEM	TOP DOCUMENT	PART NUMBER	MIN REV	DESCRIPTION	QTY PER VAR/REV AF A2	AH A2	AP A2	BF A2	REFERENCE DESIGNATORS

5 GEN: 5416802-AH IS A MODULE USING NEC 256K PLCC DRAMS
6 GEN: 5416802-AP IS A MODULE USING MITSUBISHI 256K PLCC DRAMS
7 GEN: 5416802-AF IS A MODULE USING HITACHI 256K PLCC DRAMS.
8 GEN: 5416802-BF IS A MODULE USING HITACHI 256K DRAMS.

DIGITAL	TITLE	SIZE	CODE	DOCUMENT NUMBER	REV
	2 / 4 MB MEMORY OPTION SECTION A OF B	K	PL	5416802-0-DBP	A

AUTOMATED BY VAXKPL (V1.3)

P A R T S L I S T

SHEET 81 OF 81

LINE	ITEM	TOP DOCUMENT	PART NUMBER	MIN REV	DESCRIPTION	QTY PER 8H A2	QTY PER 8P A2	VAR/REV	REFERENCE DESIGNATORS
1	1	B-MD-5016801-0-0	50-16801-01		CIRCUIT DRILL AND ETCH	1	1		
2	2		10-27953-01		0.22 MFD 50V +/-20% Z5U CE	156	156		C1-C156
3	3		10-24455-13		10 MFD 15V +/-10% CHI	3	3		C157-C159
4	4		12-19063-05		CONN,P+S 40POS(2X20)	2	2		J1,J2
5	5		15-25625-11		27.0 .25 W 5.0 % CHIP	53	53		R5-R12,R15-R58,R62
6	6		13-25329-01		100.0 .25 W 1.0 % CHIP	9	9		R1-R4,R13,R14,R59-R61
7	7		19-20441-02		74F245 TRANSCEIVER,BI-DIREC	4	4		E43,E55,E65,E75
8	8		19-20572-02		74F244 BUFFER/LINE DRIVER,O	6	6		E39-E41,E121-E123
9	9		19-21010-03		74F373 OCTAL TRANSPARENT LA	1	1		E44
10	10		19-21312-02		74F32 OR GATE,QUAD,2-IN	1	1		E37
11	11		19-21316-02		74F138D DECODER/DEMUX,1OF8,S	1	1		E42
12	12		19-21330-02		74F257 DATA SEL/MUX,QUAD 2T	2	2		E38,E45
13	13		21-21413-22		41256 RAM 256KX1,DYNAMIC M	144	-		E1-E36,E46-E54,E56-E64,E66-E74,
14	14		21-21414-22		256KX1,DYNAMIC 150NS	-	-	CONT	E76-E120,E124-E159
15	15		21-22422-22		256KX1 MOS RAM 150NS 1	-	144		E1-E36,E46-E54,E56-E64,E66-E74,
								CONT	E76-E120,E124-E159

1 GEN: 5416802-AA IS THE PRIMARY VARIATION OF THE 2MB MODULE.
2 GEN: 5416802-BA IS THE PRIMARY VARIATION OF THE 4 MB MODULE
3 GEN: 5416802-AH IS A MODULE USING NEC 256K PLCC DRAMS
4 GEN: 5416802-AP IS A MODULE USING MITSUBISHI 256K PLCC DRAMS
5 GEN: 5416802-BH IS A MODULE USING NEC 256K PLCC DRAMS
6 GEN: 5416802-BP IS A MODULE USING MITSUBISHI 256K PLCC DRAMS
7 GEN: 5416802-AF IS A MODULE USING HITACHI 256K PLCC DRAMS.
8 GEN: 5416802-BF IS A MODULE USING HITACHI 256K DRAMS.

REVISION HISTORY			KPL MODULE FORMAT	SECTION B OF B			
ENG	ECO NUMBER	REV	SECTION/VARIATION INDEX		DRN: J. CUNNINGHAM DATE: 31-JUL-85	D I G I T A L	
	INITIAL	A	[A] AF,AH,AP,BF [M] [B] BH,BP [N] [C] [P] [D] [Q] [E] [R] [F] [S] [H] [T] [J] [V] [K] [W] [L] [Y]		CHK'D: D. DROZD DATE: 31-JUL-85 DES.ENG: G. LORD DATE: 31-JUL-85 RESP.ENG.: G. LORD DATE: 27-JAN-86 MFG.ENG: D. TAYLOR DATE: 08-AUG-86	TITLE PARTS LIST 2 / 4 MB MEMORY OPTION DOCUMENT NUMBER SIZE: K CODE: PL NUMBER: 5416802-0-DBP REV: A RELEASE DATE: 04-FEB-87 RELEASE STATUS: RELEASED	
			BASIC PART NUMBER: 5416802	ASSEMBLY NUMBER: D-UA-5416802-2-0	TOP DOCUMENT NUMBER: B-DD-5416802-0-0	FILE NAME: GH057A.PLS	EDIT #: 38

"THIS DRAWING AND THE SPECIFICATIONS CONTAINED HEREIN ARE CONFIDENTIAL AND PROPRIETARY. THEY ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. THIS IS AN UNPUBLISHED WORK PROTECTED UNDER THE FEDERAL COPYRIGHT LAWS."

*** DOCUMENT CONVERTED TO VAX ***







NOTE: ALL I.C.'S OTHER THAN MEMORY CHIPS VCC IS CONNECTED TO +5VC







J1 PIN9 MS2 MSIZE2	J1 PIN21 MS1 MSIZE1	J1 PIN22 MS0 MSIZE0		
0	0	0	=	NO MEM
0	0	1	=	1MB
0	1	0	=	2MB
0	1	1	=	4MB
1	0	0		RESERVED
1	0	1		
1	1	0		
1	1	1		



DRAWING
TITLE=MEM2/4
ABBREV=MEM2
LAST_MODIFIED=Mon Jan 26 08:27:34 1987

THIS MANUAL AND SPECIFICATIONS, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986, DIGITAL EQUIPMENT CORPORATION

REVISION		
CHK	CHANGE NO.	REV

DRN K. GLEEZEN	DATE 8/7/86	ENG G. LORD	DATE 8/7/86
CHK P. SCANTLEBURY	DATE 8/7/86	BOARD LOCATION	
USED ON FIRST USED ON OPTION/MODEL		SHEET 1 OF 11	
		TOP DOCUMENT NUMBER K-DD-5416802-0-0	

TITLE: 2/4 MBYTE MEMORY OPTION

SIZE	CODE	NUMBER	REV.
B	CS	5416802-0-1	A

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986 DIGITAL EQUIPMENT CORPORATION







THESE ARE LOCATED ON SIDE 2

ENG. G. LORD	DATE 8/7/86	TITLE: 2/4 MBYTE MEMORY OPTION	
BOARD LOCATION			
SIZE	SHEET 2 OF 11		
TOP DOCUMENT NUMBER K-DD-5416802-0-0		SIZE B / CODE CS / NUMBER 5416802-0-1	REV. A

5416802-0-1 B CS B A

THIS DRAWING AND SPECIFICATIONS, WHICH ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986 DIGITAL EQUIPMENT CORPORATION

8 BIT LATCH 74F373 E44
R7 R6 R5 R4 R3 R2 R1 R0
D7 D5 D4 D3 D2 D1 D0
ROLD ENO
MSELC H
MSELB H
MSELA H
VAS L
SRAS L
ERAS L
R61 100Ω

DECODER 74F138 E42
7F 6F 5F 4F 3F 2F 1F 0F
4S 2S 1S
E3 E2 E1

4X2 MUX 74F257 E38
1D-D 0D-D
1D-C 0D-C
1D-B 0D-B
1D-A 0D-A
1S EN
FDD FCD FBD FAD
R9 R12 R7 R5
MRAS21 L MRAS11 L MRAS31 L MRAS41 L
R60 100Ω

4X2 MUX 74F257 E45
1D-D 0D-D
1D-C 0D-C
1D-B 0D-B
1D-A 0D-A
1S EN
FDD FCD FBD FAD
R8 R6 R10 R11
MRAS20 L MRAS10 L MRAS30 L MRAS40 L
R59 100Ω

74F32 E37
SRAS L
ERAS L

OCTAL BUS TRNCVR 74F245 E55
B7 B6 B5 B4 B3 B2 B1 B0
A7 A6 A5 A4 A3 A2 A1 A0
DIR EN
MDAL31 H MDAL30 H MDAL29 H MDAL28 H MDAL27 H MDAL26 H MDAL25 H MDAL24 H
BDAL31 H BDAL30 H BDAL29 H BDAL28 H BDAL27 H BDAL26 H BDAL25 H BDAL24 H

OCTAL BUS TRNCVR 74F245 E75
MDAL15 H MDAL14 H MDAL13 H MDAL12 H MDAL11 H MDAL10 H MDAL09 H MDAL08 H
BDAL15 H BDAL14 H BDAL13 H BDAL12 H BDAL11 H BDAL10 H BDAL09 H BDAL08 H

OCTAL BUS TRNCVR 74F245 E43
MDAL23 H MDAL22 H MDAL21 H MDAL20 H MDAL19 H MDAL18 H MDAL17 H MDAL16 H
BDAL23 H BDAL22 H BDAL21 H BDAL20 H BDAL19 H BDAL18 H BDAL17 H BDAL16 H

OCTAL BUS TRNCVR 74F245 E65
MDAL07 H MDAL06 H MDAL05 H MDAL04 H MDAL03 H MDAL02 H MDAL01 H MDAL00 H
BDAL07 H BDAL06 H BDAL05 H BDAL04 H BDAL03 H BDAL02 H BDAL01 H BDAL00 H

BWRITE L
74F32 E37
ERAS L
VDBE L

ENG. G.LORD	DATE 8/7/86	TITLE: 2/4 MBYTE MEMORY OPTION	
BOARD LOCATION			
SHEET 3 OF 11			
TOP DOCUMENT NUMBER K-DD-5416802-0-0		SIZE B / CODE CS / NUMBER 5416802-0-1	REV. A

B | CS | 5416802-0-1 | A

THIS DRAWING AND SPECIFICATIONS, AS AN UNPUBLISHED WORK, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR ANY MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986 DIGITAL EQUIPMENT CORPORATION



NOTE: ALL MEMORY CHIPS ON THIS PAGE
VCC IS CONNECTED TO +5VA

BANK 1 BITS <31:16>

DWN: G. LORD	DATE: 8/8/86	TITLE: 2/4 MBYTE MEMORY OPTION	
ACCESS LOCATION:	SHEET 4 OF 11		
TOP DOCUMENT NUMBER: K-DD-5416802-0-0		SIZE: B / CODE: CS / NUMBER: 5416802-0-1	REV: A

5416802-0-1 A

THIS DRAWING AND SPECIFICATIONS, MINERAL ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986, DIGITAL EQUIPMENT CORPORATION

MDAL15 H — MDAL14 H — MDAL13 H — MDAL12 H — MDAL11 H — MDAL10 H — MDAL09 H — MDAL08 H — PBIT01 H

256KX1 DRAM 41256SM E36 — E35 — E34 — E33 — E32 — E31 — E30 — E29 — E28

BMAD18 H
BMAD17 H
BMAD16 H
BMAD15 H
BMAD14 H
BMAD13 H
BMAD12 H
BMAD11 H
BMAD10 H
MRAS10 L
MCAS01 L
BWRT10 L

+5VA

C36 .22UF 50V — C35 .22UF 50V — C34 .22UF 50V — C33 .22UF 50V — C32 .22UF 50V — C31 .22UF 50V — C30 .22UF 50V — C29 .22UF 50V — C28 .22UF 50V

MDAL07 H — MDAL06 H — MDAL05 H — MDAL04 H — MDAL03 H — MDAL02 H — MDAL01 H — MDAL00 H — PBIT00 H

256KX1 DRAM 41256SM E27 — E26 — E25 — E24 — E23 — E22 — E21 — E20 — E19

BMAD18 H
BMAD17 H
BMAD16 H
BMAD15 H
BMAD14 H
BMAD13 H
BMAD12 H
BMAD11 H
BMAD10 H
MRAS00 L
MCAS00 L
BWRT10 L

+5VA

C27 .22UF 50V — C26 .22UF 50V — C25 .22UF 50V — C24 .22UF 50V — C23 .22UF 50V — C22 .22UF 50V — C21 .22UF 50V — C20 .22UF 50V — C19 .22UF 50V

NOTE: ALL MEMORY CHIPS ON THIS PAGE
VCC IS CONNECTED TO +5VA

BANK 1 BITS <15:00>

ENG. G. LORD	DATE 8/8/86	TITLE: 2/4 MBYTE MEMORY OPTION	
SHEET 5 OF 11			
TOP DOCUMENT NUMBER K-DD-5416802-0-0		SIZE B / CODE CS / NUMBER 5416802-0-1	REV. A

THIS DRAWING AND SPECIFICATIONS, AS AN UNPUBLISHED WORK, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986, DIGITAL EQUIPMENT CORPORATION



NOTE: ALL MEMORY CHIPS ON THIS PAGE
VCC IS CONNECTED TO +5VA

BANK 2 BITS <31:16>

DES. G. LORD	DATE 8/8/86	TITLE: 2/4 MBYTE MEMORY OPTION	
DRAWING LOCATION	SHEET 5 OF 11		
TOP DOCUMENT NUMBER K-DD-5416802-0-0		SIZE B / CODE CS / NUMBER 5416802-0-1	REV. A

THIS DRAWING AND SPECIFICATIONS, MEDIUM, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986 DIGITAL EQUIPMENT CORPORATION



NOTE: ALL MEMORY CHIPS ON THIS PAGE
VCC IS CONNECTED TO +5VA

BANK 2 BITS <15:00>

ENG. G. LORD	DATE 8/8/86
BOARD LOCATION	
SHEET 7 OF 11	
TOP DOCUMENT NUMBER K-DD-5416802-0-0	

TITLE: 2/4 MBYTE MEMORY OPTION

SIZE	CODE	NUMBER	REV.
B	CS	5416802-0-1	A

THIS DRAWING AND SPECIFICATIONS, HEREON, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1985 DIGITAL EQUIPMENT CORPORATION



COMPONENTS ON SIDE 2

NOTE: ALL MEMORY CHIPS ON THIS PAGE
VCC IS CONNECTED TO +5VB

BANK 3 BITS <31:16>

ENG. G.LORD	DATE 8/8/86	TITLE: 2/4 MBYTE MEMORY OPTION	
BOARD LOCATION			
SHEET 8 OF 11			
TOP DOCUMENT NUMBER K-DD-5416802-0-0	SIZE B / CODE CS	NUMBER 5416802-0-1	REV. A

5416802-0-1 A

THIS DRAWING AND SPECIFICATIONS, MASKIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1985, DIGITAL EQUIPMENT CORPORATION

MDAL15 H — MDAL14 H — MDAL13 H — MDAL12 H — MDAL11 H — MDAL10 H — MDAL09 H — MDAL08 H — PBIT01 H

256KX1 DRAM 41256SM E120 — 256KX1 DRAM 41256SM E119 — 256KX1 DRAM 41256SM E118 — 256KX1 DRAM 41256SM E117 — 256KX1 DRAM 41256SM E116 — 256KX1 DRAM 41256SM E115 — 256KX1 DRAM 41256SM E114 — 256KX1 DRAM 41256SM E113 — 256KX1 DRAM 41256SM E112

BMAD38 H
BMAD37 H
BMAD36 H
BMAD35 H
BMAD34 H
BMAD33 H
BMAD32 H
BMAD31 H
BMAD30 H

MRAS30 L
MCAS11 L

BWRT30 L

+5VB

C129 .22UF 50V — C128 .22UF 50V — C127 .22UF 50V — C126 .22UF 50V — C125 .22UF 50V — C124 .22UF 50V — C123 .22UF 50V — C122 .22UF 50V — C121 .22UF 50V

MDAL07 H — MDAL06 H — MDAL05 H — MDAL04 H — MDAL03 H — MDAL02 H — MDAL01 H — MDAL00 H — PBIT00 H

256KX1 DRAM 41256SM E111 — 256KX1 DRAM 41256SM E110 — 256KX1 DRAM 41256SM E109 — 256KX1 DRAM 41256SM E108 — 256KX1 DRAM 41256SM E107 — 256KX1 DRAM 41256SM E106 — 256KX1 DRAM 41256SM E105 — 256KX1 DRAM 41256SM E104 — 256KX1 DRAM 41256SM E103

BMAD38 H
BMAD37 H
BMAD36 H
BMAD35 H
BMAD34 H
BMAD33 H
BMAD32 H
BMAD31 H
BMAD30 H

MRAS10 L
MCAS10 L

BWRT30 L

+5VB

C138 .22UF 50V — C137 .22UF 50V — C136 .22UF 50V — C135 .22UF 50V — C134 .22UF 50V — C133 .22UF 50V — C132 .22UF 50V — C131 .22UF 50V — C130 .22UF 50V

COMPONENTS NO SIDE 2

NOTE: ALL MEMORY CHIPS ON THIS PAGE
VCC IS CONNECTED TO +5VB

BANK 3 BITS <15:00>

ENG. G. LORD	DATE 8/8/86	TITLE: 2/4 MBYTE MEMORY OPTION	
BOARD LOCATION			
SHEET 9 OF 11			
TOP DOCUMENT NUMBER K-DD-5416802-0-0		SIZE B / CODE CS / NUMBER 5416802-0-1	REV. A

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986 DIGITAL EQUIPMENT CORPORATION

MDAL31 H MDAL30 H MDAL29 H MDAL28 H MDAL27 H MDAL26 H MDAL25 H MDAL24 H PBIT03 H

256KX1 DRAM 412565M E141 · E140 · E139 · E138 · E137 · E136 · E135 · E134 · E133

BMAD48 H
BMAD47 H
BMAD46 H
BMAD45 H
BMAD44 H
BMAD43 H
BMAD42 H
BMAD41 H
BMAD40 H
MRAS41 L
MCAS13 L
BWRT40 L

+5VB

C109 .22UF 50V · C108 .22UF 50V · C107 .22UF 50V · C106 .22UF 50V · C105 .22UF 50V · C104 .22UF 50V · C103 .22UF 50V · C102 .22UF 50V · C101 .22UF 50V

MDAL23 H MDAL22 H MDAL21 H MDAL20 H MDAL19 H MDAL18 H MDAL17 H MDAL16 H PBIT02 H

256KX1 DRAM 412565M E132 · E131 · E130 · E129 · E128 · E127 · E126 · E125 · E124

BMAD48 H
BMAD47 H
BMAD46 H
BMAD45 H
BMAD44 H
BMAD43 H
BMAD42 H
BMAD41 H
BMAD40 H
MRAS41 L
MCAS12 L
BWRT40 L

+5VB

C118 .22UF 50V · C117 .22UF 50V · C116 .22UF 50V · C115 .22UF 50V · C114 .22UF 50V · C113 .22UF 50V · C112 .22UF 50V · C111 .22UF 50V · C110 .22UF 50V

COMPONENTS ON SIDE 2

NOTE: ALL MEMORY CHIPS ON THIS PAGE
VCC IS CONNECTED TO +5VB

BANK 4 BITS <31:16>

ENG. G. LORD	DATE 8/8/86	TITLE: 2/4 MBYTE MEMORY OPTION	
DRAWN LOCATION			
SHEET 10 OF 11			
TOP DOCUMENT NUMBER K-DD-5416802-0-0		SIZE B / CODE CS / NUMBER 5416802-0-1	REV. A

5416802-0-1

THIS DRAWING AND SPECIFICATIONS, AS AN UNPUBLISHED WORK, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1986, DIGITAL EQUIPMENT CORPORATION

MDAL15 H — MDAL14 H — MDAL13 H — MDAL12 H — MDAL11 H — MDAL10 H — MDAL09 H — MDAL08 H — PBIT01 H

256KX1 DRAM 412565SM E159 / E158 / E157 / E156 / E155 / E154 / E153 / E152 / E151

BMAD48 H
BMAD47 H
BMAD46 H
BMAD45 H
BMAD44 H
BMAD43 H
BMAD42 H
BMAD41 H
BMAD40 H
MRAS40 L
MCAS11 L
BWRT40 L

+5VB

C89 .22UF 50V — C88 .22UF 50V — C87 .22UF 50V — C86 .22UF 50V — C85 .22UF 50V — C84 .22UF 50V — C83 .22UF 50V — C82 .22UF 50V — C81 .22UF 50V

MDAL07 H — MDAL06 H — MDAL05 H — MDAL04 H — MDAL03 H — MDAL02 H — MDAL01 H — MDAL00 H — PBIT00 H

256KX1 DRAM 412565SM E150 / E149 / E148 / E147 / E146 / E145 / E144 / E143 / E142

BMAD48 H
BMAD47 H
BMAD46 H
BMAD45 H
BMAD44 H
BMAD43 H
BMAD42 H
BMAD41 H
BMAD40 H
MRAS10 L
MCAS10 L
BWRT40 L

+5VB

C99 .22UF 50V — C98 .22UF 50V — C97 .22UF 50V — C96 .22UF 50V — C95 .22UF 50V — C94 .22UF 50V — C93 .22UF 50V — C92 .22UF 50V — C91 .22UF 50V

COMPONENTS ON SIDE 2

NOTE: ALL MEMORY CHIPS ON THIS PAGE
VCC IS CONNECTED TO +5VB

BANK 4 BITS <15:00>

ENG. G. LORD	DATE 8/8/86	TITLE: 2/4 MBYTE MEMORY OPTION	
BOARD LOCATION			
SHEET 11 OF 11			
TOP DOCUMENT NUMBER K-DD-5416802-0-0		SIZE B / CODE CS / NUMBER 5416802-0-1	REV. A